

ಶ್ರೀ ಎಸ್. ನಿಜಲಿಂಗಪ್ಪ.—ನನಗೆ ಬಂದಿರುವ ವರ್ತಮಾನದಂತೆ ಹೇಳುವುದಾದರೆ 20 ದಿವಸ ಯಾರೂ ಕಾಯ್ದಿಲ್ಲ. ಬಹಳ ಹೆಚ್ಚಾಗಿ ಎಂದರೆ ಮೂರು ಅಥವಾ ನಾಲ್ಕು ದಿವಸ ಇರಬೇಕಾದೀತು ಎಂಬುದು ನನಗೆ ಗೊತ್ತಿದೆ.

Sri G. SIVAPPA.—Is it a fact that even after you became the Chief Minister, the ryots there had to wait for more than 15 days?

Sri S. NIJALINGAPPA.—That is not true.

Sri G. SIVAPPA.—May I know what steps have been taken and whether the difficulties of the ryots have been removed?

Sri S. NIJALINGAPPA.—They have been removed to a great extent.

ಶ್ರೀ ಜಿ. ಶಿವಪ್ಪ.—ಒಂದು ಕಾಯಂ ಸ್ವರೂಪದ ಅನುಕೂಲತೆಯನ್ನು ಕಲ್ಪಿಸಿಕೊಡುವದಕ್ಕೆ ಪ್ರಯತ್ನ ಮಾಡುತ್ತೀರಾ, ಸ್ವಾಮಿ?

ಶ್ರೀ ಎಸ್. ನಿಜಲಿಂಗಪ್ಪ.—ಅದೇ ಪ್ರಯತ್ನದಲ್ಲಿದೆ.

Sri G. SIVAPPA.—May I know what steps have been taken in this regard?

Sri S. NIJALINGAPPA.—Certain steps are under contemplation and they will be taken.

Sri A. BHEEMAPPA NAIK.—Government adopted a certain method in Gadag. Will Government be pleased to examine that and adopt the same method in the Chitaldrug Regulated Market?

Sri S. NIJALINGAPPA.—I will certainly have it examined.

(d) the time taken for completing the survey and service?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works).—

(a) Detailed survey will be taken up after the load survey form is received.

(b) Yes.

(c) No action could be taken as the Village Panchayat did not send the load survey form.

(d) This depends on the receipt of load survey form duly countersigned.

ಶ್ರೀ ಕೆ. ಎಲ್. ನರಸಿಂಹಯ್ಯ.—ದೇವರಾಯನ ದುರ್ಗವನ್ನು ಬಹಳ ದಿವಸಗಳ ಹಿಂದೆಯೇ ಹಿಲ್ ಸ್ಪೇಷನ್ ಮಾಡಬೇಕು ಮತ್ತು ಅಲ್ಲಿಗೆ ಎಲೆಕ್ಟ್ರಿಸಿಟಿ ಕೊಡಬೇಕೆಂದು ಆಲೋಚನೆ ಇತ್ತು. ಅಲ್ಲಿಗೆ ಎಲೆಕ್ಟ್ರಿಸಿಟಿ ಇನ್ನೂ ಏಕೆ ಕೊಡಲಿಲ್ಲ?

*ಶ್ರೀ ಹೆಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—1948ನೇ ಇಸವಿ ಯಲ್ಲೇ ಜನರಲ್ ಸರ್ವೇ ಆಗಿದೆ. ಆಗಲೇ ಇದಕ್ಕೆ ಸಂಬಂಧಪಟ್ಟ ಹಳ್ಳಿಗಳನ್ನು ಕನಕಪುರ ಮಾಡುವ ರೋಡು ಸರ್ವೇ ಬರದ ಮಾಡುವಹಾಗಿಲ್ಲ. ಅದಕ್ಕೋಸ್ಕರ ಆಗಲಿಲ್ಲ.

ಶ್ರೀ ಕೆ. ಎಲ್. ನರಸಿಂಹಯ್ಯ.—ಎಲೆಕ್ಟ್ರಿಸಿಟಿ ಗಾಗಿ ಅರ್ಥಬರ್ಧ ಅಲ್ಲಲ್ಲಿ ಕೆಲಸವಾಗಿರುವುದು ಗೊತ್ತಿದೆಯೇ?

ಶ್ರೀ ಹೆಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಅದನ್ನು ನೋಡುತ್ತೇನೆ.

ಶ್ರೀ ಕೆ. ಎಲ್. ನರಸಿಂಹಯ್ಯ.—ಈಗಲೂ ಡೆಪ್ಯುಟಿ ಕಮಿಷನರವರು ದೇವರಾಯನ ದುರ್ಗಕ್ಕೆ ರೈಲುನ್ನು ಜಾಗೃತ ತೆಗೆದುಕೊಂಡು ಹೋಗಬೇಕೆಂದು ಶಿಫಾರಸು ಮಾಡಿರುವುದು ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ?

ಶ್ರೀ ಹೆಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಅದು ಬಂದರೆ ತೆಗೆದುಕೊಳ್ಳೋಣ.

Supply of Electricity to Devarayanadurga and Hebbur in Tumkur District.

Q.—793. Sri K. L. NARASIMHAH (Hebbur).—

Will the Government be pleased to state:—

(a) whether they would consider to conduct a survey to extend electricity to Devarayanadurga Hills from Meenakshi Estates in Tumkur Taluk;

(b) whether there was any proposal to undertake a survey at any time previously;

(c) if so, the action they have taken so far in that behalf;

[When Question No. 804 was called Sri K. Puttaswamy was not present.]

Sri M. RAMAPPA.—In view of the importance of this question regarding roads, I may be permitted to put the question, Sir.

Mr. SPEAKER.—Where is the written authorisation from the Hon'ble Member?

Sri M. RAMAPPA.—I have no written authorisation. But I am requesting the Chair to permit me to put a supplementary.

Mr. SPEAKER.—If the Hon'ble Member wants me to consider, I will consider it afterwards.